


Equipment of ATMs

The surfaces around the ATM



The surface around the ATM

Graphic elements



NLB Indigo Blue

The surface of the ATM can be equipped in two ways:

- If the wall is inside primary material is printed foil + UV Matt lamination, Pantone 2745 which must match with the RAL Design 290 20 35 color.
- If the wall is outside primary material is lacquered aluminium sheet in the colour RAL Design 290 20 35.



Outline sign

- White foil
- IMAGin JT WT-PT 9700, Opal white

BANKOMAT/ATM

Dobrodošli 24/7

- Uplata i isplata EUR
- Isplata EUR

Inscriptions

- White foil
- IMAGin JT WT-PT 9700, Opal white

Sample drawings



BANKOMAT/ATM

Dobrodošli 24/7



- Uplata i isplata EUR
- Isplata EUR



BANKOMAT/ATM

Dobrodošli 24/7



- Uplata i isplata EUR
- Isplata EUR




- Uplata i isplata EUR
- Isplata EUR

Sample drawings



BANKOMAT/ATM

Dobrodošli 24/7



- Uplata i isplata EUR
- Isplata EUR




- Uplata i isplata EUR
- Isplata EUR


Sample drawings

BANKOMAT/ATM

Dobrodošli 24/7



- Uplata i isplata EUR
- Isplata EUR



BANKOMAT/ATM

Dobrodošli 24/7



- Uplata i isplata EUR
- Isplata EUR